IJETIR
ISSN (Online) 2583-0554
Impact Factor: 5.731
International Journal of Emerging Technologies and Innovative Research (IJETIR)
Volume 5, Issue 12, December 2025

Mouse Cursor Control using Eye Movements

Abhishek Reddy, Mohith L C, Dhanush Kumar B, Rakesh S, Prof. Vanshika Rastogi
Dept. Artificial Intelligence and Data Science
East Point College of Engineering and Technology, Bangalore, India.

Abstract: *Eye-tracking technology has revolutionized hands-free human-computer interaction, empowering users to control mouse cursors with their gaze. This study presents an innovative eye-tracking-based cursor control system, leveraging webcams or infrared-based trackers to capture eye movements. By harnessing computer vision and machine learning techniques, the system accurately maps eye gaze to screen coordinates, enabling seamless cursor navigation and selection. To optimize usability and accuracy, various gaze-based interaction techniques, including dwell-time selection and blink-based clicking, are explored. A comprehensive evaluation of the system's effectiveness assesses precision, latency, and user experience. The results demonstrate that gaze-based cursor control offers an intuitive, accessible, and empowering solution for individuals with motor impairments, paving the way for breakthroughs in assistive technology and hands-free computing.*

Keywords: Eye movement analysis, Mouse cursor control , Deep Learning, Machine Learning, Hands-free interaction, Human- computer interaction

I. INTRODUCTION

Conventional computer interaction relies heavily on physical devices like keyboards, mice, and touchscreens, posing challenges for individuals with motor impairments and those requiring hands-free operation. Eye-tracking technology offers a groundbreaking solution, enabling gaze-based mouse cursor control. By leveraging specialized hardware, such as infrared eye trackers or standard webcams, and advanced computer vision algorithms, these systems accurately track gaze direction and translate it into screen coordinates. Users can effortlessly navigate, select, and click using techniques like dwell time, blink detection, and gaze gestures. With applications in assistive technology, gaming, and virtual/augmented reality, gaze-based control systems have garnered significant attention. However, challenges persist regarding accuracy, calibration, latency, and user comfort. This paper presents the design, implementation, and evaluation of an eye-tracking-based cursor control system, discussing its benefits, limitations, and future directions for enhancing accessibility and user experience.

II. OVERVIEW OF MOUSE CURSOR CONTROL USING EYE MOVEMENTS

A. Historical Context

The origins of eye-tracking technology date back to the 1960s, when it was primarily used in psychological and neurological research. Initially, these systems were cumbersome, invasive, and expensive, hindering widespread adoption. However, advancements in computer vision and image processing paved the way for more accurate and non-invasive eye-tracking systems. In the 1990s, pioneering companies like ISCAN and SensoMotoric Instruments introduced the first commercial eye trackers, catering mainly to research and marketing applications. As the technology evolved, researchers began exploring gaze-based interaction techniques, including mouse cursor control, for assistive technology and human-computer interaction applications. Further breakthroughs in machine learning and computer vision enabled the development of more accurate and efficient gaze-based interaction systems. Companies like Tobii and EyeTribe spearheaded the commercialization of gaze-based interaction products, including eye-controlled mice and gaming peripherals. Today, recent advances in eye-tracking technology and machine learning algorithms have significantly improved the accuracy and speed of gaze-based interaction systems, unlocking new possibilities for assistive technology, gaming, and beyond.

B. Evolution of Emotion Recognition Techniques 1960s-1970s: Invasive Eye Tracking

Researchers developed the first eye tracking systems using invasive methods like electrooculography (EOG). Although these early systems were mainly used for psychological and neurological research, they had limited accuracy.

1980s-1990s: Non-Invasive Eye Tracking

The introduction of non-invasive eye tracking methods using video-based systems marked a significant improvement. These systems enhanced accuracy and became more widely adopted in research and marketing applications.

2000s: Emergence of Gaze-Based Interaction

Researchers began exploring gaze-based interaction techniques, including mouse cursor control. Initial gaze-based interaction systems were developed, but they had limited accuracy and speed.

2010s: Advances in Machine Learning and Computer Vision

Breakthroughs in machine learning and computer vision significantly improved the accuracy and speed of gaze-based interaction systems. Companies like Tobii and EyeTribe introduced commercial gaze-based interaction products, including eye-controlled mice and gaming peripherals.

Present Day: Deep Learning and Expanded Applications

Deep learning techniques have further enhanced the accuracy and speed of gaze-based interaction systems. Gaze-based interaction has become increasingly popular in assistive technology applications, such as communication aids for individuals with severe motor impairments. Additionally, gaze-based interaction is being explored for gaming, virtual reality (VR), and augmented reality (AR) applications, offering new opportunities for immersive and interactive experiences.

III. PROBLEM DEFINITION

Conventional mouse input devices require manual dexterity, excluding individuals with motor disabilities or physical limitations. Current eye-tracking solutions often necessitate specialized, expensive hardware, while existing approaches are marred by limitations, including poor accuracy in detecting subtle or rapid eye movements and potential risks associated with hardware-based detection. This research seeks to address these challenges by developing an affordable, robust, and webcam-based eye-tracking system for mouse control, promoting inclusivity and accessibility.

IV. GOALS

The primary goals of this research are:

• Empower Inclusive Computing: Offer a hands-free alternative input method, enabling individuals with motor impairments to interact with computers effortlessly and independently.

• Design an Affordable Solution: Leverage ubiquitous webcams to create a cost-effective eye-tracking system, eliminating the need for pricey specialized hardware.

• Optimize Performance: Achieve seamless and accurate cursor control with reduced latency, leveraging cutting-edge gaze estimation algorithms for enhanced responsiveness.

• Introduce Intuitive Blink-Activated Controls: Develop a robust blink detection system, enabling users to effortlessly trigger left and right mouse clicks with a simple blink, minimizing dependence on traditional input devices.

• Deliver Seamless Adaptability and Usability: Design a robust system that effortlessly adapts to diverse lighting environments and device setups, while providing an intuitive and user-friendly interface that simplifies navigation and control.

• Universal Compatibility: Develop a system that effortlessly integrates with diverse operating systems and applications, ensuring a seamless user experience across platforms.

V. PROPOSED SYSTEM

This innovative system harnesses webcam-based eye-tracking technology to enable intuitive, hands-free cursor control. By leveraging advanced image processing and machine learning algorithms, our approach accurately analyzes facial landmarks and eye movements to execute precise cursor actions. Unlike traditional methods reliant on external hardware, our computer vision-based solution detects and tracks eye movement in real- time, without the need for specialized equipment. Designed with usability and adaptability in mind, this lightweight and user- friendly system seamlessly adapts to varying lighting conditions, offering a cost-effective and inclusive alternative to conventional input devices.

Key features of the proposed system include:

• Leverage Existing Hardware: Utilize standard webcams to track eye movements, removing the need for costly specialized equipment and making the solution accessible and affordable for all.

• Instantaneous Cursor Navigation: Employs advanced gaze estimation technology to deliver precise and responsive mouse pointer movement, with virtually no lag or delay.

• Intuitive Blink-Activated Clicks: Features a sophisticated blink detection algorithm that seamlessly enables left and right mouse clicks, promoting independence from traditional input devices.

• Personalized Calibration: Dynamically adapts to individual eye movement patterns, enabling users to customize the system for precise and intuitive cursor control.

• Universal Compatibility: Engineered to deliver a seamless user experience across multiple operating systems, devices, and applications, ensuring effortless integration and flexibility.

VI. SYSTEM ARCHITECTURE

The proposed system architecture for hands-free mouse cursor control harnesses standard webcam technology to track eye movements and gaze. This innovative architecture comprises a series of interconnected modules that collaborate to capture, process, and interpret eye and head movements, intuitively controlling the on-screen cursor. The process unfolds in a sequential manner: (1) real-time video input acquisition, (2) facial and eye feature detection, (3) gaze direction estimation, and (4) gaze coordinate mapping to precisely control the cursor. A detailed breakdown of each component follows.



1. Video Input and Image Data Acquisition: Real-Time Capture and Enhancement

The process commences with the capture of high-quality, real- time video input from a standard webcam. The camera continuously records image frames of the user's face, including their eyes and iris. To ensure optimal image quality, the system applies advanced preprocessing techniques, including noise reduction, brightness adjustment, and stabilization. This critical step enables accurate feature detection, facilitates smooth tracking, and maintains efficiency even in diverse lighting conditions.

2. Facial and Eye Detection: Precise Identification of Key Features

Following video frame acquisition, the system employs advanced image processing and deep learning-based techniques to detect the user's face and eyes with high precision.

Leveraging robust algorithms such as OpenCV's Haar cascades or Dlib's facial landmark detector, the system accurately identifies key facial features, including the eyes, nose, and mouth. This module extracts the specific region of interest (ROI) containing the eyes, which is then processed further. The accuracy of this detection step is paramount, as any errors can compromise cursor movement precision.

3. Head Movement Estimation: Compensating for Head Pose Variations
To account for the impact of head movements on gaze direction, the system incorporates a head movement estimation module. This component utilizes real-time analysis of the user's head orientation and position to detect and track significant head movements. By compensating for these movements, the system enhances gaze tracking accuracy, ensuring that minor head shifts do not result in unintended cursor movements. This refinement contributes to a more reliable, user-friendly, and immersive experience.

4. Precise Eye Positioning: Refining Gaze Direction Accuracy
Building on facial and eye detection, the system employs advanced eye detection and position estimation to pinpoint the exact location of the user's pupils. This module utilizes sophisticated image processing techniques, including thresholding, contour detection, and feature extraction, to extract the pupil region and determine its precise coordinates. As subtle eye movements significantly impact cursor movements, accurate eye positioning is crucial for reliable gaze direction mapping and seamless user interaction.

5. Advanced Iris Tracking and Analysis: Unlocking Precise Gaze Direction
The iris tracking module is a crucial component in determining the user's gaze direction, delivering unparalleled precision. By analyzing contrast differences within the eye region, the system accurately identifies the iris's location and tracks its movement relative to the eye's position. This information is then combined with head pose data to generate highly accurate gaze estimates, ensuring seamless and intuitive cursor control. As the user's gaze shifts, the system translates iris movements into precise gaze data, facilitating smooth and natural interactions.

6. Accurate Gaze Estimation and Mapping: Translating User Intent into Cursor Movement
With eye position and iris movements detected, the gaze estimation module calculates the user's precise line of sight. By processing iris data, the system determines the direction of gaze, whether up, down, left, or right. Leveraging advanced mathematical models, including vector-based gaze mapping and deep learning algorithms, the system accurately estimates gaze coordinates. These coordinates are then seamlessly translated into corresponding on-screen cursor movements by the mapping module, enabling intuitive and precise user interaction.

7. Seamless Gaze-to-Cursor Mapping: Intuitive Navigation
The gaze-to-cursor mapping module translates estimated gaze coordinates into precise cursor movements on the display screen. To ensure a smooth and responsive user experience, the system incorporates a sophisticated stabilization algorithm that filters out minor, involuntary eye movements. Additionally, the cursor sensitivity can be tailored to individual user preferences, providing a personalized and comfortable navigation experience.

8. Seamless Application Integration: Effortless Interaction
The application layer represents the final stage of the system, where processed gaze coordinates are utilized to control the cursor in real-time. By receiving and translating gaze data into precise mouse movements, the application enables users to interact with computer interfaces intuitively, without physical input. Designed for compatibility with diverse operating systems and applications, this versatile system offers unparalleled accessibility, particularly for individuals with disabilities, and supports a wide range of use cases.

VII. RESULT

A comprehensive testing regimen was conducted to validate the integrated software system's functionality, performance, and reliability. The multi-faceted testing approach comprised unit testing, integration testing, functional testing, system testing, and user acceptance testing (UAT). Each testing phase meticulously evaluated distinct aspects of the software, ensuring seamless integration, correct internal logic, and adherence to business and technical requirements. Employing both white-box and black- box testing methodologies, the testing process scrutinized the system's internal structure and overall functionality. Ultimately, the successful execution of all test cases, with zero defects encountered, confirmed the software's robustness, reliability, and readiness for deployment.



REFERENCES

[1] Q. Sun, J. Xia, N. Nadarajah, T. Falkmer, J. Foster, and H.Lee, “Assessing drivers’ visual-motor coordination using eye tracking, GNSS and GIS: a spatial turn in driving psychology,” Journal of Spatial Science.

[2] N. Scott, C. Green, and S. Fairley, “Investigation of the use of eye tracking to examine tourism advertising effectiveness,” Current Issues in Tourism.

[3] Minh Ly Duc; Que Nguyen Kieu Viet. "Analysis Affect Factors of Smart Meter A PLS-SEM Neural Network". International Research Journal on Advanced Science Hub, 4, 12, 2022, 288-301. doi: 10.47392/irjash.2022.071

[4] R. J. K. Jacob and K. S. Karn, “Eye Tracking in humancomputer interaction and usability research: ready to deliver the promises,” Minds Eye.

[5] O. Ferhat and F. Vilarino, “Low cost eye tracking: the current panorama,” Computational Intelligence and Neuroscience.

[6] Tobii EyeX, “EyeX,” 2014, http://www.tobii.com/eyex.

[7] GazePoint,“Gazept,”2013,http://www.gazept.com/category/ gp3-eye-tracker.

[8] The eyeTribe, “EyeTribe,2014,http://www.theeyetribe.com.

[9] M. A. Eid, N. Giakoumidis, and A. El Saddik, “A novel eyegaze-controlled wheelchair system for navigating unknown environments: case study with a person with ALS,” IEEE Access

[10] L. Sun, Z. Liu, and M.-T. Sun, “Real time gaze estimation with a consumer depth camera,” Information Sciences.

[11] Y.-M. Cheung and Q. Peng, “Eye gaze tracking with a web camera in a desktop environment,” IEEE Transactions on HumanMachine Systems.

[12] Swathi Buragadda; Siva Kalyani Pendum V P; Dulla Krishna Kavya; Shaik Shaheda Khanam. "Multi Disease Classification System Based on Symptoms using The Blended Approach". International Research Journal on Advanced Science Hub, 5, 03, 2023, 84-90. doi: 10.47392/irjash.2023.017

[13] M. Nehete, M. Lokhande, and K. Ahire, “Design an eye tracking mouse,” International Journal of Advanced Research in Computer and Communication Engineering.

[14] Vo Ngoc Mai Anh; Hoang Kim Ngoc Anh; Vo Nhat Huy; Huynh Gia Huy; Minh Ly. "Improve Productivity and Quality Using Lean Six Sigma: A Case Study". International Research Journal on Advanced Science Hub, 5, 03, 2023, 71-83. doi: 10.47392/irjash.2023.016